

For reference only. See data sheet for the detailed specifications.

Technical Specification




EIA WC to WR	WC94 to WR75
Frequency Range(GHz)	10.0 – 11.6
Circular WG Size(mm/inch)	23.825/0.94
Insertion Loss(dB)	0.1 Max.
VSWR	1.20:1 Max.
WR75 Flange	FBP120(UBR120)
WC94 Flange	FBP120-M(UBR120-M)
Material	Al
Size(mm)	76.2 x 38 x 38
Net Weight(Kg)	0.09 Around

PATENT ID (China)

ZL202020594307.X

Outline Drawing (Size: mm)



AINFO Inc.

Page 1 of 3

China(Beijing):
China(Chengdu):
USA :


Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608


Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Flange Outline Drawing (Size: mm)



FBP120



FBP120-M

AINFO Inc.

Page 2 of 3

China(Beijing):
China(Chengdu):
USA :

Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,


(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608

Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results

Insertion Loss (Test with two transitions back to back)



VSWR (Test with two transitions back to back)

