




Technical Specification



EIA WR	WR42
Pass Band(GHz)	18.0 - 26.5
Insertion Loss(dB)	1.0 Max.
Rejection(dB)	40 Min. @ 36.0 - 66.25GHz
VSWR	1.50:1 Max.
Flange	FBP220(UBR220)
Average Power(W CW)	35
Peak Power(KW)	0.3
Material	Al
Size(mm)	75.2 x 22.4 x 22.4
Net Weight(Kg)	0.12 Around

Outline Drawing (Size: mm)




AINFO Inc.

Page 1 of 3

China(Beijing):
China(Chengdu):
USA :Tel: (+86) 10-6266-7326,
Tel: (+86) 28-8519-2786,
Tel: (+1) 949-639-9688,(+86) 10-6266-7327
(+86) 28-8519-3044
(+1) 949-639-9608Fax: (+86) 10-6266-7379
Fax: (+86) 28-8519-3068
Fax: (+1) 949-639-9670Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Flange Outline Drawing (Size: mm)



FBP220

AINFO Inc.

Page 2 of 3


China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA : Tel: (+1) 949-639-9688,

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results

Pass Band



Rejection

