


## Technical Specification




|                      |                   |
|----------------------|-------------------|
| EIA WR to WR         | WR90 to WR62      |
| Frequency Range(GHz) | WR90: 8.2 – 12.4  |
|                      | WR62: 12.4 – 18.0 |
| Insertion Loss(dB)   | 0.1 Max.          |
| VSWR                 | 1.1:1 Max.        |
| WR90 Flange          | FBP100(UBR100)    |
| WR62 Flange          | FBP140(UBR140)    |
| Material             | Al                |
| Size(mm/inch)        | 152.4/6.0         |
| Net Weight(Kg)       | 0.18 Around       |

## Outline Drawing (Size: mm)



## Flange Outline Drawing (Size: mm)



### FBP100

AINFO Inc.

Page 2 of 4


China(Beijing):  
China(Chengdu):  
USA :

Tel: (+86) 10-6266-7326,  
Tel: (+86) 28-8519-2786,  
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327  
(+86) 28-8519-3044  
(+1) 949-639-9608

Fax: (+86) 10-6266-7379  
Fax: (+86) 28-8519-3068  
Fax: (+1) 949-639-9670

Website: [www.ainfoinc.com](http://www.ainfoinc.com)  
Email: [sales@ainfoinc.com](mailto:sales@ainfoinc.com)



FBP140

AINFO Inc.

Page 3 of 4

China(Beijing):  
China(Chengdu):  
USA :

Tel: (+86) 10-6266-7326,  
Tel: (+86) 28-8519-2786,  
Tel: (+1) 949-639-9688,


(+86) 10-6266-7327  
(+86) 28-8519-3044  
(+1) 949-639-9608

Fax: (+86) 10-6266-7379  
Fax: (+86) 28-8519-3068  
Fax: (+1) 949-639-9670


Website: [www.ainfoinc.com](http://www.ainfoinc.com)  
Email: [sales@ainfoinc.com](mailto:sales@ainfoinc.com)

## Test Result

I.L. (Test with two transitions back to back)



VSWR



AINFO Inc.

Page 4 of 4

China(Beijing):  
China(Chengdu):  
USA :

Tel: (+86) 10-6266-7326,  
Tel: (+86) 28-8519-2786,  
Tel: (+1) 949-639-9688,

(+86) 10-6266-7327  
(+86) 28-8519-3044  
(+1) 949-639-9608

Fax: (+86) 10-6266-7379  
Fax: (+86) 28-8519-3068  
Fax: (+1) 949-639-9670

Website: www.ainfoinc.com  
Email: sales@ainfoinc.com