

Company Profile & Product Catalogue

CONNECTOR

M.2 Connector
SO DIMM Socket
Memory Card Socket
SIM Card Socket
Mini PCI Socket
Smart Card Socket
FPC Connector
HDMI Connector
E-SATA Connector
RJ45 Connector
Pogo Pin Connector
USB 2.0 / USB 3.0 / USB Combo Connector
SPDIF Jack
Board to Board Connector

CABLE

Audio/Video
Storage
Data Transfer
Networking
Board to Board
Industrial
High Frequency
Automation

Connector & Cable Solution Provider

| | | |
|---|-------------------------------|---------|
| ➤ | About ATTEND | 01 - 04 |
| ➤ | Memory Card Socket | 05 - 06 |
| ➤ | PCB Card Socket | 07 - 08 |
| ➤ | I/O Connector | 09 - 13 |
| ➤ | Pogo Pin, Board to Board, FPC | 14 |
| ➤ | Cable Assembly | 15 - 18 |

About ATTEND

Why "ATTEND"?

I have often been asked if the word "ATTEND" has special meaning. Over the past two decades, I have been involved with many electronic components such as semiconductor, connector, and cable. These components have to be used by customers in their projects, which create our opportunities to sell.

Therefore, I profoundly realize that the most important thing of a successful enterprise in this industry is to proactively take part in the customers' product design. As a result, "attend your business", "attend your project", are the common faith of our team.


Furthermore, "attend" contains positive and active implications, so I choose "ATTEND" as our brand name. It is not only our principle, but also our promise to customers.

What is "Connect to Your Success"?

During the growth of ATTEND, we fully understand the importance of long-term relationships between customers and us. We cannot survive alone in the environment of electronics components industrial. Only when our customers achieve their goal can we have the opportunities to success.

"Connect to Your Success" is our business philosophy. Everything we do, we do it for your success.

Attend Technology Inc.
General Manager


Kenneth Fu

Brand Identity



Innovation

We are ATTEND, everything we do starts with our core value: "Innovation".

Partnership

ATTEND makes an important step to collaborate and build reliable partnerships, and to keep moving forward with our faith.

Attentive

As we enter a new decade of growth & prosperity, we will keep our principle of being "Attentive" and deliver our promise through a whole new "ATTEND's Way".

Our Specialties



Connector

As a professional connectivity solutions provider, ATTEND is your one-stop total solution provider with our complete range of connector products for various applications. Our specialty is in networking and consumer applications, in which we are able to provide not only high quality products in a timely manner, but also new professional service models that makes us your most reliable partner.



Cable Assembly

Our cable assembly solutions provide the advantage of customization service and design-in research & development which enables early involvement + higher success rate for your innovative projects. In addition, ATTEND is also equipped with advanced tooling technology & state of the art manufacturing facilities which enables the realization of innovative products and help our customers gain a competitive edge in the market.


Global Sales Channel and Target Market



| | | | | | | | | | | | |
|----------------|--|---------|--|-------------|--|----------|--|--------------|--|---------|--|
| Austria | | France | | Italy | | Portugal | | South Africa | | Turkey | |
| Bulgaria | | Germany | | Netherlands | | Romania | | South korea | | Ukraine | |
| Canada | | Hungary | | New Zealand | | Russia | | Switzerland | | U.K. | |
| Czech Republic | | India | | Poland | | Slovakia | | Spain | | U.S.A. | |

Networking System

Application: ADSL Modem/Router, IP Router, IP STB, LTE Router, WiFi Router, VOIP, 3G \ 4G Modem, GSM/GPRS Module



Industry Application

Application: Security Camera, Vehicle Tracking, Smart Meter, Embedded System

Consumer Electronic Device

Application : Tablet PC, Internet Audio Equipment, Digital Photo Frame, Navigation Device

Connect to Your Success

ATTEND is your most trustworthy partner and your first choice for innovative connectivity solutions.

ATTEND is dedicated to provide the world-class connectivity solutions. Our value proposition is built upon on the core principle of "Connect to Your Success". This is a common goal we share with our customers. This guiding principle drives us to develop integrated service innovations, which enables us to win in every promising market, and to connect every success in the networking business.



Memory Card Socket



CF Card Socket



CF



CF Type I Socket
101A-TAA0-R



CF Type I/II Socket
101B-TAA0-R



CF Ejector
101C-ESB0-R



CF Socket Slim Type
101D-TAAB-R01 38.74mm
101D-TACB-R01 38.74mm S/O 1.4mm



CF Female Connector
101H-SAAA-R, Straddle
101H-DCBA-R, SMT

CFAST



CFAST Socket
w/Lock Standoff 6.05mm
120B-605D00



CFAST Socket
w/o Lock Standoff 6.05mm
120A-605D00, Non-Push
120C-605D00, Push-Push



CFAST Socket
w/o Lock Standoff 8.35mm
120A-835D00, Non-Push
120C-835D00, Push-Push



CFAST Socket
w/Lock Standoff 8.35mm
120B-835D00

SD Card Socket



SD



SD Socket Non Push Type
104C-TAA0-R



SD Socket Push-Push Type
104D-TCA0-R06



SD Socket Push-Push Type
104D-TCC0-R06, s/o 1.8mm



SD Socket Push-Push Type
104D-RAA0-R01, Reverse



SD Socket Push-Push Type
104G-TAA0-R, w/Card Lock



SD Socket Push-Push Type
104H-TDA0-R01, w/Card Lock

Micro SD Card Socket



Micro SD



Micro SD Socket Hinge Type
112C-TBAR-R02



Micro SD+Sim Socket
112G-TA00-R



Micro SD Socket
Push-Push Type
112A-TAAR-R03



Micro SD Socket
Push-Push Type
112J-TDAR-R01




Micro SD Socket
Push-Pull Type
112I-TDAR-R

Multi Card Socket




Multi Card



Multi memory Card Socket
107R-AD00-R, SD/MMC/MS
107R-BD00-R, SD/MMC/MS/xD
107R-CD00-R, SD/MMC/MS/xD/MMC4.0

PCB Card Socket



M.2



New M.2 Connector



M.2 Connector
H=3.2mm max,A key
123A-32AA0-R01



M.2 Connector
H=3.2mm max,B key
123A-32BA0-R01



M.2 Connector
H=3.2mm max,E key
123A-32EA0-R01



M.2 Connector
H=3.2mm max,M key
123A-32MA0-R01



M.2 Connector
H=4.2mm max,B key
123A-42BA0-R01



M.2 Connector
H=4.2mm max,M key
123A-42MA0-R01

Mini PCI Express Socket



Mini PCI Express



Mini PCI Express
Socket & Latch
Standoff 4.0mm
119A-40A00-R04



Mini PCI Express
Socket & Latch
Standoff 5.6mm
119A-56A00-R04



Mini PCI Express
Socket & Latch
Standoff 8.0mm
119A-80A00-R02



Mini PCI Express
Socket & Latch
Standoff 9.2mm
119A-92A00-R02

Mini PCI Socket



Mini PCI



Mini PCI Socket
Metal Grounding Type
114B-40B00-R02, 4.0mm



Mini PCI Socket
Metal Grounding Type
114B-52B00-R02, 5.2mm



Mini PCI Socket
Metal Grounding Type
114B-56B00-R02, 5.6mm



Mini PCI Socket
Metal Grounding Type
114B-92B00-R02, 9.2mm

SIM Card Socket



SIM Card



SIM Socket Dual Type
115H-BA00



Micro SIM Socket
115I-AEAA



SIM Socket Push-Push Type
115A-ADA0-R02, 6 Pin
115A-BDA0-R01, 8 Pin



SIM Socket Hinge Type
115B-AAA0-R01, 6Pin
115B-BAA0-R01, 8Pin



SIM Socket Slim w/switch
115F-ACA0-R, 6+2 switch



SIM Socket Metal Hinge Type
115G-AAAA-R, 6 Pin



SIM Socket w/Card Holder
115C-AC00-R, 6Pin
115C-BC00-R, 8Pin



SIM Socket w/o Card Holder
115D-AXX0-RA1



SIM Socket Slim Type
w/o Card Holder
115E-AEA0-R01, 6Pin

Smart Card Socket



Smart Card



Smart Card Socket
SMT, Slim Type
116A-SB00-R



Smart Card Socket
DIP, Standard Type
116E-DCC0-R, Reverse



Smart Card Socket
Standard, Normal Open
116B-DB00-R02



Smart Card Socket
Standard, Normal Close
116B-DBC0-R02

SO DIMM Socket



DDR3



SO DIMM Socket
Standard Type
122A-40AX0, H=4.0mm
122A-52AX0, H=5.2mm
122A-80AX0, H=8.0mm
122A-92AX0, H=9.2mm



SO DIMM Socket
Vertical Type
122B-150AX0



SO DIMM Socket
Dual Port Type
122C-42AX0

DDR2





Standard Type
Normal/Reverse
121A-52AX0, H=5.2mm
121A-92AX0, H=9.2mm



Vertical Type
Vertical Normal/Reverse
121B-150AX0

I/O Connector



USB 3.0 Connector



USB 3.0



USB 3.0 A Type Plug Middle Board mount SMT Type 209A-SG03
 USB 3.0 A Type Receptacle Middle Board Mount DIP Type 209B-DG02
 USB 3.0 A Type Receptacle Dual Port DIP Type 209B-DG03
 USB 3.0 B Type Receptacle DIP Standard Type 209D-DG01

Micro USB 3.0



Micro USB 3.0 B Type Receptacle SMT Standard Type / Shell DIP 209E-BE01
 Micro USB 3.0 B Type Receptacle SMT Standard Type / Shell SMT 209E-BE00
 Micro USB 3.0 B Type Receptacle Vertical Type / Shell SMT 209F-BC00

USB 2.0 Connector



USB 2.0




USB 2.0 A Type Plug 205A-DANA-R, DIP Standard Type 205A-SBNO-R05, SMT Standard Type 205A-SBNO-R08, SMT, Middle Type
 USB 2.0 A Type Receptacle 205B-DANO-R, Standard Type 205C-DANO-R02, Vertical Type 205F-DANO-R, Frank Type
 USB 2.0 A Type Receptacle 205G-AAO-RA2, Dual Port 205G-EANO, Trip Port 205G-FANO, Dual Port Middle
 USB 2.0 B Type Receptacle 205D-DANO-R, Right Angle DIP 205D-SANO-R, Right Angle SMT 205E-DANO-R, Vertical DIP 205E-SANO-R, Vertical SMT

Micro USB




Micro USB 2.0 Receptacle SMT Standard 207A-ABA0-R, AB Type 207A-BBA0-R, B Type
 Micro USB 2.0 Receptacle SMT Middle 207E-BG00-R, B Type 207E-BA00-RA1, B Type
 Micro USB 2.0 Receptacle SMT Vertical 207F-BA00,B Type

Mini USB



Mini USB 2.0 A Type 202F-FGT0-R, Receptacle, SMT Standard
 Mini USB 2.0 AB Type 202C-FBTO-R03, Receptacle, SMT Standard 202C-FDNO-RA1, Receptacle, SMT Middle
 Mini USB 2.0 B Type 202A-FBNR-R03, Receptacle, SMT Standard 202B-FBTO-R01, Receptacle, SMT Middle 202B-RBTO-R01, Reverse, SMT Middle 202D-FBNO-R, Vertical Receptacle, DIP 202G-Vertical, 202H-R/A DIP
 Mini USB 2.0 B Type Plug 202B-MDNO-R, Plug, SMT, Middle 202E-MGNO-R01, Plug, DIP, Middle 207C-AEAA-RA3 8Pin, Shell DIP


Multi Port



USB 2.0 + E-SATA 205G-BEN0
 USB 2.0 + RJ45 205G-CANO, USB x2
 USB 2.0 + HDMI 205G-DENO
 USB 3.0 + RJ45 209G-CANO,USB3.0x2


New

HDMI Connector



HDMI D Type Middle Board Mount, Shell SMT 206H-SABN
 HDMI D Type Receptacle SMT Standard Type / Shell DIP 206H-SDAN-R01
 HDMI C Type Receptacle SMT Standard Type / Shell DIP 206G-SGAN-R01
 HDMI A Type Receptacle SMT Standard Type / Shell DIP 206A-SEAN-R03
 HDMI A Type Receptacle SMT Standard Type / Shell SMT 206A-SABN
 HDMI A Type Receptacle w/ Flange SMT Standard Type / Shell DIP 206B-SEAN-R01
 HDMI A Type Receptacle w/ Flange SMT Standard Type / Shell SMT 206B-SABN
 HDMI Straight Type Straight w/Flange SMD Type/ DIP Type 206F-SEAN-RA1

E-SATA Connector



E-SATA Plug SMT Standard Type / Shell DIP 215C-SEB0 215C-REB0, Reverse
 E-SATA Plug DIP Standard Type / Shell DIP 215B-SEB0 215B-REB0, Reverse
 E-SATA Plug Vertical DIP Type / Shell DIP 215A-SEB0
 E-SATA Plug Flank DIP Type / Shell DIP 215D-SEB0

IEEE 1394


Display Port

SPDIF



IEEE 1394 SMT Type 203B-FAN0
 Display Port SMT Type 208A-SEA0-R02
 SPDIF+RCA 302B-TBA0-RA1
 SPDIF+Mini Din 302D-TBA0-RA1

RJ45 Jack




RJ45



RJ45 Jack SMT Type 210A-11C0B-RA4
 RJ45 Shielded Type, 1X w/o LED 210A-11C0A-R
 RJ45 Jack Shielded Type, w/o LED 210A-1XC0B-R w/o EMI
 RJ45 Jack Shielded Type, w/o LED Vertical 210A-11C0A-RA10
 RJ45 Shielded Type, 2X w/o LED 210A-2XC0A-R, w/ EMI 210A-2XC0B-R, w/o EMI
 RJ45 Shielded Type, Middle Mount w/o LED 210A-11A0D-R14, Upper Latch 210A-11A0D-R15, Bottom Latch
 RJ45 Shielded Type, w/ LED 211A-11CAA-R01,w/EMI 211A-11CBA-R01,w/EMI 211A-11ABA-RA5,w/o EMI
 RJ45 Shielded Type, 1X w/ LED 211A-1XCAA-R 211A-1XCBA-R
 RJ45 Shielded Type, 2X w/ LED 211A-2XCAA-R
 RJ45 Shielded Type, Middle Mount w/ LED 211A-11ADA-RA3,Sink 3.4 211A-11ADA-RA4,Sink 4.9
 RJ Jack Plastic Type, w/o LED 210B-6XCX0-R 210B-44CB0-R
 RJ45 Jack Plastic Type 210B-88CX0-R 211B-11CX0-R
 RJ45 Jack Plastic Type, 1X w/LED 211B-1XC0A-R
 RJ45 Jack Plastic Type, 2X w/o LED 211B-2XC00-R
 RJ45 Jack Magnetic Type, w/o LED 212A-11CA0-R
 RJ45 Jack Magnetic Type, 1X w/o LED 212A-12CA0-RA10 212A-14CA0-RA11 212A-14CA0-RA12
 RJ45 Jack Magnetic Type, w/ LED 213A-11CAA-R
 RJ45 Jack Magnetic Type, 1X w/LED 213A-14CAA-RA14
 RJ45 Jack Magnetic Type, 2X w/LED 213A-22CAC-RA15
 RJ45 Jack 10/100 Type, PoE with LED 214A-11CAA




Contact Configuration



Receptacle



Plug for Cable



Pogo Pin



Pogo Pin, Single Contact
Fly Type
Plug in Type
Bending Type
Right Angle Type
Double Ends



Pogo Pin, Multi Contacts
Fly Type
Plug in Type
Bending Type
Right Angle Type
Double Ends

Board to Board



Board to Board Plug
320A-XXPAA, PH 0.5mm, H=3mm,
8,16,30,50,80 pins
320A-100PAA, PH 0.5mm H=4mm



Board to Board Receptacle
320A-XXRAA, PH 0.5mm, H=3mm,
8,16,30,50,80 pins
320A-100RAA, PH 0.5mm H=4mm

FPC

ZIF Type



FPC, Horizontal
311A-XXUAA-R, Upper Contact
311A-XXLAA-R, Lower Contact
PH 0.5mm, H=2.0mm



FPC, Horizontal
313A-XXUAA-R, Upper Contact
313A-XXLAA-R, Lower Contact
PH 0.5mm, H=1.2mm



FPC, Vertical
312A-XXNAA-R
312B-XXRAA-R, Reverse
PH 0.5mm, H=2.0mm



FPC, Vertical
312B-XXNAA
312B-XXRAA, Reverse
PH 1.0mm, H=2.0mm

Flip Type



FPC, Horizontal
314A-XXBAA-R, PH 0.5mm, H=2.0mm
314C-XXBAA-R, PH 0.5mm, H=2.5mm
315A-XXBAA-R01, PH 0.5mm, H=0.9mm



FPC, Middle Board
316B-XXBAA-R
PH 0.5mm, H=1.5 mm

Customization
Design-in
Advance tooling technology



World Class Cable Assembly Solutions

Our Core Competence



Customization

Communication

Our well-trained R&D personnel and professional engineers can not only clearly understand your requirement, but also provide you the most appropriate solution.

One-stop package service

During the period from prototype to mass production, ATTEND can provide the variety of wire, molding, PCB components.



Manufacture

Molding

- Component Material: PVC, TPE, PU

Cable

- Insulation: PP, PE, PVC, SR-PVC, Hytel, TPFE
- Jack Material: PVC, TPE, PU
- Format: Coiled Cable, Flat Cable, Custom Material

Specialty

- Waterproof, Anti oil, Anti UV




Testing

We can provide various testing reports of prototype on demand. With the following tests, we have competence to improve the prototype's format, function, and lower its costs.



Logistic

ATTEND's superior international logistics management can rise the efficiency of manufacture, stock and shipment. Therefore, you can enjoy a faster and more stable delivery process.



Problem-solving & Customer Service

Our clients will get response in 24 hour, and realize the crux of the problem very soon. Moreover, we will provide 8D report to help you solve the problem thoroughly.




Quality Declaration


We have confidence that our clients have a great purchasing experience with us. You are our precious partner. Your success is the catalyst to ours.

How We Customize Cable Assemblies

We can satisfy all your demand for cable assembly, including design, manufacture, and even after-sale service. We welcome you to talk about your any idea related to cable.



Audio/Video



- RCA
- Mini Din
- Audio
- Video
- VGA To S-Video
- VGA To RGB

Storage



- SATA
- USB2.0/3.0
- HDMI
- Mirco USB
- Mini USB
- Flat CABLE
- FFC CABLE

Data Transfer



- D-SUB To RJ45
- DC Jack Plug
- USB To Mini B
- USB M/F To RJ45
- USB To Mirco B
- D-SUB To D-SUB
- USB M/F To D-SUB

Networking



- CAT5E
- CAT6

Board to Board



- Board To Wire
- Board To Board
- Wire to Wire
- FFC
- FPC

Industrial



- M8
- M12
- M16
- DIN Plug

High Frequency



- RF Cable Assemblies

Automation



- Robotics Cable
- Machine Vision Systems Cable
- Industrial Automated Machinery Cable
- Large Storage Systems Cable
- HPC (High Performance Computer) Systems Cable



Any
Customer-made
Cable Assembly

