




Product Parameters (产品描述)

产品编号 | Part Number: KB-HB/SL12W-xx-XP
出光角度 | Beam Angle: 15/25/60/ASY
产品材料 | Material: PC
工作温度 | Work Temp: <105℃

安装方式 | Fastening: Screw
防水圈 | Silica seal : available
透光率 | Transmittance: 93%
匹配LED | Match Led: Cree XP / 3535 Led

Part Number	Lens Surface	Dimension	Beam Angle
KB-HB12W-15-XP	镜面/clear	L173*W71.4mm	~15°
KB-HB12W-25M-XP	雾面/matt	L173*W71.4mm	~25°
KB-HB12W-60-XP	镜面/clear	L173*W71.4mm	~60°
KB-HB12W-90-XP	雾面/matt	L173*W71.4mm	~90°
KB-SL12W-65*150-XP	镜面/clear	L173*W71.4mm	65*150°
KB-SL12W-65*150VT-XP	镜面/clear	L173*W71.4mm	65*150°


Direction for Use

(透镜 | LENS)


- 1, Please use some soft paper or pure water to clean lens (reflector)
- 2, Don't use any industrial solvent to clean lens surface , such as alcohol
- 3, Storage environment : Temperature 0~40℃ , Humidity 30%~95%
- 4, This kind of lens can make the lighting more concentrated, and it's made from transparent material , so please do not open the packages until you use them, in case of the dust and other pollutions.

Light Distribution Curve (配光曲线图):


Part Number: KB-HB12W-15-XP



Part Number: KB-HB12W-25M-XP




Part Number: KB-HB12W-60-XP




Light Distribution Curve (配光曲线图):


Part Number: KB-HB12W-90-XP



Part Number: KB-SL12W-65*150-XP



Part Number: KB-SL12W-65*150VT-XP



Mechanical Characteristics (产品尺寸):

