






For reference only. See data sheet for the detailed specifications.

Technical Specification




EIA WR	WR284
Frequency Range(GHz)	2.60 – 3.95
Length(mm)	150
Insertion Loss(dB)	0.1 Max.
VSWR	1.05:1 Max.
Flange	FDP32(UDR32)
Material	Al
Size(mm)	150 x 114.3 x 76.2
Net Weight(Kg)	0.43 Around

Outline Drawing (Size: mm)



Flange Drawing (Size: mm)



FDP32

AINFO Inc.

Page 2 of 3


China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA: Tel: (+1) 949-639-9688,

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670


Website: www.ainfoinc.com
Email: sales@ainfoinc.com

Test Results

I.L.



VSWR



AINFO Inc.

Page 3 of 3

China(Beijing): Tel: (+86) 10-6266-7326,
China(Chengdu): Tel: (+86) 28-8519-2786,
USA: Tel: (+1) 949-639-9688,

(+86) 10-6266-7327 Fax: (+86) 10-6266-7379
(+86) 28-8519-3044 Fax: (+86) 28-8519-3068
(+1) 949-639-9608 Fax: (+1) 949-639-9670

Website: www.ainfoinc.com
Email: sales@ainfoinc.com